

CHIEM PATANA SYNTHETIC FIBERS CO.,LTD.



25/1 M.6, Petkaseam Rd Km.74, Photharam ,Ratchaburi ,70120 ,Thailand.

23/3 M.3, Petkaseam Rd Km.33, Yaicha,Sampran ,Nakornpratom,73110 ,Thailand.

Telephone: (66-34) 311273-4 , Facsimile: (66-34) 322-559

<http://www.chiempatana.com> , E-mail : info@chiempatana.com

SPECIFICATION

DTY 75/36/1-SWA (Polyester Textured Yarn)

Semi-Dull , Raw White , Single Heat Set , Air Intermingle

Grade	AA	DATA		Unit
Type	Woolly Yarn (SWA)	Woolly Yarn (SWA)		-----
QUARTER	-----	Q 2	Q 3	-----
Denier	75 +/- 3	75.5	75.5	den
Tenacity	4.7 +/- 1	5.0	4.9	g/den
Elongation	22 +/- 5	22.7	22.3	%
Crimp Rigidity	7 +/- 2	7.6	7.3	%
Shrinkage in Boiling Water	3.5 +/- 1.5	3.1	3.1	%
O P U.	2 +/- 1.25	2.1	2.1	%
Torque	4 +/- 1.5	3.2	3.3	twist/inch.
Knot	100 +/- 10	98	100	knot/m.
DTY Diameter	23.5 +/- 0.5	23.5 +/- 0.5		cm
Package (WEIGHT)	5.5	5.5		kgs
Package (BOBBIN)	Full Bobbin	Full Bobbin		---

REMARK : QUARTER 2 , 3 1 2549