



## CHIEM PATANA SYNTHETIC FIBERS CO.,LTD.

23/3 M.3, Petkaseam Rd Km.33, Yaicha, Sampran, Nakornpratom, 73110, Thailand.

Telephone: (66-34) 311273-4, Facsimile: (66-34) 322-559

http://www.chiempatana.com, E-mail: info@chiempatana.com

### SPECIFICATION

#### DTY 75/36/2-SWA (Polyester Textured Yarn), Non-Torque

#### Semi-Dull, Raw White, Single Heat Set, Air Intermingle

Grade	AA	B	Unit
Type	Non-Torque Yarn ( SWA )	Non-Torque Yarn ( SWA )	---
Denier	152 +/- 5	152 +/- 10	den
Tenacity	4.6 +/- 1	4.6 +/- 2	g/den
Elongation	22 +/- 5	22 +/- 10	%
Crimp Rigidity	7 +/- 2	Not Fix	%
Shinkage in Boiling Water	3.5 +/- 1.5	Not Fix	%
O P U.	1.75 +/- 1.25	Not Fix	%
Torque	Torqueless	Not Fix	twist/inch.
Knot	105 +/- 10	Not Fix	knot/m.
DTY Diameter	230 +/- 5	151 - 235	mm
Package ( WEIGHT )	5	2 - 5	kgs
Package ( BOBBIN )	Full Bobbin	Small & Full Bobbin	---